



AUS-CRETE MAXIGRIP

FLEXIBLE HIGH PERFORMANCE POLYMER REINFORCED ADHESIVE – C2TS1

DESCRIPTION

Aus-Crete MaxiGrip is a high performance, flexible, polymer fortified adhesive with excellent slip resistance that is used for installing a wide range of tile and stone. **Aus-Crete MaxiGrip** is made from lightweight aggregates and specialty fibres to reduce shrinkage, and provides great coverage and is easy to use. **Aus-Crete MaxiGrip** is similar to a mastic, but will chemically cure for suitable large tile or stone on suitable waterproof membranes. **Aus-Crete MaxiGrip** will install tile and stone to a very wide range of substrates: cement sheet, plasterboard, suitable waterproof membranes, concrete, render and screeds. Suitable for glass tiles and large porcelain tile.

Suitable for internal and external use.

Mix with Aus-Bond Industrial Latex Admix in place of water for heated floors and C2S2 performance.

USES

- LARGE TILE AND STONE
- WHITE MARBLE AND GRANITE
- PORCELAIN TILE
- QUARRY TILE AND MOSAIC TILE
- GLASS TILE AND MOSAIC
- ALL MASONRY SUBSTRATES
- RENDER, BRICK AND BLOCKWORK
- CEMENT SHEET AND PLASTERBOARD
- SUITABLE WATERPROOF MEMBRANES

COVERAGE (per 20kg bag)

6 x 6 mm trowel	10 x 10 mm trowel
10 - 12 m ²	6 m ²



TECHNICAL NOTES (AT 21°C)

OPEN TIME	20 MINUTES
POT LIFE	1.5 HOURS
INITIAL SET	6 HOURS
FOOT TRAFFIC	24 HOURS
HEAVY TRAFFIC	72 HOURS

TECHNICAL NOTES (AT 28 DAYS)

TENSILE STRENGTH (TS)	≥ 2.00 MPa
TS, 21 DAYS IMMersed	≥ 1.00 MPa
TS, 14 DAYS HEAT AGED	≥ 1.50 MPa
TRANSVERSE DEFORMATION	≥ 3.50 mm < 5.00 mm